General index to Volume 143

accretionary prism, Makran Coast, Pakistan, slip-vectors from, 326
acid deposition, in Eastern United States watersheds, geochemical investigations, 621–6
——, effects on plant/hydrology interactions, British uplands, 650–2
——, leaching induced by, 653
acid rain, geochemical aspects of, 619–20
acid rain [thematic set] and:
  acid susceptibility of rocks and soils, 679–90
  aluminium mobilization in soils, waters, 699–706
  geochemical investigations in Eastern United States watersheds affected by acid deposition, 621–6
  influence of mineral weathering and catchment hydrology on water chemistry, uplands, England, Wales, 635–48
  introduction, geochemical aspects of acid rain, 619–20
  mineral weathering processes in podzolic soils on granite, 691–7
  near-surface geochemical processes, in Quaternary sediments, 667–72
  nutrient and proton budgets in soils underlain by Pleistocene alluvial deposits, 659–66
  soil–acid deposition interactions and geochemical weathering rates, British uplands, 649–58
  susceptibility of UK groundwaters to acidic deposition, 707–20
  trace element mobility, acidic upland forest, Mid Wales, 635–48
  weathering rates of gneiss and depletion of exchangeable cations in soils under acidification, 673–7
acid susceptibility, of rocks, soils, methods for quantifying, 679–90
acidic deposition, susceptibility of UK groundwaters to, 707–8, map 709; 710–20
acidic upland catchment, forested, element mobility in, Mid Wales, 635–48
acidification, environmental, weathering rates of gneiss and cation depletion in soils undergoing, 673–77
——, of water from podzolic soils on granitic materials, 691–7
acidity, partitioning of, in soil, 680
ADAMSON, J. K., *see* HORNUNG, M.
Africa, current projects of British Geological Survey in, 964
Africa–Antarctica plate boundary and changes in spreading direction along Prince Edward Fracture Zone, 741
AL-AMEEN, S. I., *see* FERGUSON, C. C.
ALDRIDGE, R. J., conodont palaeobiogeography and thermal maturation in the Caledonides, 177–184, figs
ALI, S., *see* HARRIS, N. B. W.
allochthonous terranes, of Andean South America, 214
——, of Cordilleran North America, 210–11
——, of East Asia, 212–13
——, of New Zealand, 213–14
alluvial deposits, Pleistocene, nutrient and proton budgets in soils above, 659–66
Alps, Himalayas, thrust tectonics, deep structure and crustal subduction in, 857–73
——, western, tectonic framework, crustal imbrication, thrust profiles, 857–65
aluminium, mobilization of, in podzolic soils, 695–6
aluminium-containing minerals, solubility of, 699–702
aluminium mobilization, in soils and waters, 699–706
Ampthill Clay, of E England Shelf, 391–5
Andes, volcanism along, 275–6
ANDREWS, J. E., *see* FALLICK, A. E.
ANDREWS, J. R., *see* BARNES, R. P.
^{40}Ar–^{39}Ar ages of Tertiary igneous rocks, Mull, Scotland, 887, map 888; 889–96
apogranite, of Jabel Sayid Complex, Arabian Shield, 293–4
Arabian Shield, Jabel Sayid complex of, geochemical constraints on origin of peralkaline granites, 287–95
Aravalli–Delhi orogenic belt, NW India, geotectonic framework of, 968
Archaean, late, Canada, evolution of greenstone belts of, 967
——, ——, S India, development of volcanosedimentary basins in, Karnataka Craton, 967–8
Archaean mobile belt, reactivated, Thelon tectonic zone, Canada, 967
ash-flow tuffs, in Lower Rhyolitic Tuff Formation, Ordovician, N Wales, 414–19
Atlantic, early opening, and equatorial fracture zones, 740
Atlantic Ocean, Vema Fracture Zone, structure, seismotectonics of 795–805
Atlantis Fracture Zone, GLORIA investigation of, 760–1
AUBRY, M.-P., HAILWOOD, E. A. & TOWNSEND, H. A., magnetic and calcareous-nannofossil stratigraphy of the lower Palaeogene formations of the Hampshire and London basins, 729–35, figs
AUDLEY-CHARLES, M. G., rates of Neogene and Quaternary tectonic movements in the Southern Banda Arc based on micropalaeontology, 161–75, figs
Australia–Banda Arc collision zone, 965
Avoca, Ireland, geological setting and rhyolites of, 261
Azores Platform, and Tydeman Fracture Zone, 789–90

BACHE, B. W., aluminium mobilization in soils and waters, 699–706, figs
backthrusting, in Bude Formation, N Cornwall, 87
BAIN, J. A., British Geological Survey maps and their availability, 569–76, figs
balanced sections, strike-normal, strike parallel, Mendip–Bristol area, 68–71
Banda Arc, age of main orogenic phase, 166–7
——, rate of overthrusting, 171–4
——, rates of Neogene, Quaternary tectonic movement, based on micropalaeontology, 161–75
Banda Arc–Australia collision zone, 965
Banda orogen, history of vertical movement, 169–71
BARBER, A. J., the Australian–Banda Arc collision zone [*abs*], 965
BARNES, R. P. & ANDREWS, J. R., Upper Palaeozoic ophiolite generation and obduction in south Cornwall, 117–124, figs
BARNICOAT, A. C. & FRY, N., high-pressure metamorphism of the Zermatt–Saas ophiolite zone, Switzerland, 607–18, figs
BARTHOLOMEW, D. S., *see* TARNEY, J.
basalt–rhyolite provinces, bimodal, Southern British Caledonides, 259–73
base metal deposit, stratiform, metamorphosed, setting of, Himalayas, Pakistan, 521, maps 522, 523; 524–36
Beaconites-like burrows, deformation, palaeoenvironment of, ORS, SW Ireland, 897–906
BEAMISH, D. & SMYTHE, D. K., geophysical images of the deep crust: the Iapetus suture, 489–97, figs
bedforms, modern, intertidal, subtidal, relevance to geological structures, 957–62
Beddgelert, Wales, drainage water chemistry at, 627–8
bedload, trapped, Plynlimon, Wales, statistical analysis of, 922–5

Belgium, Stavelot Massif, genesis of coticules in Lower Ordovician of, 253–8
BENKHELIL, J., *see* MAURIN, J. C.
Benue Trough, NE Nigeria, fault rocks of Kaltungo lineament in, 587–99
Besham area, N Pakistan, geology of, 524–5
BEUZART, P., *see* PATRIAT, P.
BEVAN, T. G. & HANCOCK, P. L., a late Cenozoic regional mesofracture system in southern England and northern France, 355–62, figs
BIGSBY MEDAL presented to R. S. J. SPARKS, 372
biostratigraphy, 15–9
Bima sandstone, NE Nigeria, folding, faulting of, 594
BIRPS WINCH, deep seismic profiles, and Iapetus suture, 489–97
BLENKINSOP, T. G., LONG, R. E., KUSZNIR, N. J. & SMITH, M. J., seismicity and tectonics in Wales, 327–34, figs
Bobonaro Scaly Clay, of Timor, age and structural position determined by fossils, 167–8
Bolivia, E., Proterozoic gold mineralization in Precambrian shield, 966
BONATTI, E., petrological studies of fracture zones: rocks from the Upper Mantle [*abs*], 740
Boscastle Nappe, N Cornwall, 75–6
Bovey and Petrockstow basins, on Sticklepath–Lustleigh fault zone, 449–51
BOWEN, A. N. & WHITE, R. S., deep-tow seismic profiles from the Vema transform and ridge–transform intersection, 807–17, figs
BRADBURY, H. J., on the Caledonian metamorphic core: an Alpine model [reply to discussion], 724–8
BRICKER, O. P., geochemical investigations of selected Eastern United States watersheds affected by acid deposition, 621–6, figs
Bristol Channel area, mid-Devonian of, tectonics and sedimentation, 107–15
Bristol–Mendip foreland thrust belt, 63, map 64; 65–73
British Geological Survey, current projects in Africa, 964
——, Database, 379–80
——, [special issue] and:
base metal deposit, stratiform, Himalayas, 521–36
British Geological Survey Database, 379–80
British Geological Survey maps and their availability, 569–76
geophysical log correlation, Upper Jurassic strata, Eastern England, 381–410
geothermal resources, United Kingdom, 499–507
Glasgow, case study, urban geology, 509–20
granites, of SE Asian Tin Belt, 537–50
Iapetus suture, geophysical images of, 489–97
Lake District, new gravity survey of, 425–35
lineaments and basement domains, alternative view of Dalradian evolution, 453–64
Lizard Complex, Cornwall, geophysical surveys on, 437–46
Sticklepath–Lustleight Fault Zone, Tertiary reactivation of Variscan fault, 447–52
submarine eruption of Lower Rhyolitic Tuff Formation, Ordovician, N Wales, 411–23
transient electromagnetic studies over Cu–Zn–Au prospect, Gairloch, Scotland, 551–68
British Geological Survey maps, and availability, 569–76
BRITISH INSTITUTIONS REFLECTION PROFILING SYNDICATE (BIRPS) & ETUDE DE LA CROÛTE CONTINENTALE ET OCÉANIQUE PAR RÉFLEXION ET RÉFRACTION SISMIQUE (ECORS), deep seismic reflection profiling between England, France and Ireland, 45–52, figs
British upland catchments, climate and hydrology of, 649
Brittany, NE, St Malo Massif, migmatite geochronology of, 875–85
BROOKS, M., active deformation of the sea floor around Greece [*abs*], 325–6
BROOKS, M. & KIRIAKIDIS, L., subsidence of the North Aegean trough: an alternative view, 23–7, figs
BROOKS, M., *see* DOODY, J. J.
BROOKS, M., *see* UNDERHILL, J.
BROWN, F. H. & FEIBEL, C. S., revision of lithostratigraphic nomenclature in the Koobi Fora region, Kenya, 297–310, figs
BROWN, M. & COLLEY, H., current research in regional geology [conference report], 963–8
BROWN, M., *see* COLLEY, H.
BROWNE, M. A. E., FORSYTH, I. H. & MCMILLAN, A. A., Glasgow, a case study in urban geology, 509–20, figs
Bude Formation, of north Cornwall, tectonics of, and northerly décollement, 83–8
Birgi Member, of Koobi Fora Formation, Kenya, 302–4
BURTON, C. J. & TANNER, P. W. G., the stratigraphy and structure of the Devonian rocks around Liskeard, east Cornwall, with regional implications, 95–105, figs
BUTLER, R. W. H., thrust tectonics, deep structure and crustal subduction in the Alps and Himalayas, 857–73, figs

Caledonian massifs, Belgium, 254
Caledonian metamorphic core, Alpine model, 723–4, maps 725; 726–8
Caledonides, conodont palaeobiogeography and thermal maturation in, 177–84
——, Southern, British, geochemistry of basalt–subalkaline/peralkaline rhyolite provinces of, 259, maps 260; 261–73
CALVERT, A. J. & WHITMARSH, R. B., the structure of the Charlie–Gibbs Fracture Zone, 819–21, figs
CALVERT, A. J., *see* POTTS, C. G.
Cambrian–Precambrian boundary, glacial sediments near, Henan, China, 311–23
CAMPBELL, S. D. G., *see* HOWELLS, M. F.
Canada, Superior Province, evolution of late-Archaean greenstone belts of, 967
——, Thelon tectonic zone, reactivated Archaean mobile belt, 967
Carne Formation, of Devonian, S Cornwall, 128–9
Carrick Nappe, S Cornwall, geometry of, 129
catchment studies, of coarse upland sediments, 915–20
CATTERMOLE, P. J., *see* WILKINSON, P.
Celtic 'Province', of Ordovician, SE Ireland, Anglesey, 187
Cenozoic, late, mesofracture system in S England, N France, 355–62
CHADWICK, B., RAMAKRISHNAN, M. & VISWANATHA, M. N., stratigraphical and tectonic development of late-Archaean, intracratonic volcano-sedimentary basins (Dharwar Supergroup) in the Karnataka craton, southern India [*abs*], 967–8
CHADWICK, R. A., extension tectonics in the Wessex Basin, southern England, 465–88, figs
CHADWICK, R. A., *see* HOLLOWAY, S.
Changjiang River, China, sediment discharge, 940–2
CHAPMAN, T. J., the Variscan structure of South West England and related areas; conference report and introduction to published papers [conference report], 41–3
CHAPMAN, T. J., *see* WILLIAMS, G. D.
Chari Member, of Koobi Fora Formation, Kenya, 306
Charlie–Gibbs Fracture Zone, early tectonic evolution of, 741
——, structure of, 819–21
Cheshire Basin, geothermal gradient in, 502
chevron folds, Bude Formation, N Cornwall, timing of development, 87
——, deformed, N Devon, 89–92
——, modified by simple shear, north Cornwall, Devon, 89–94
Chile, N, geology, mineralization, El Salvador region, 965
——, North, San Pedro volcano, volcanological evolution of, maps 275, 276; 277–86

China, Henan Province, glacial sediments near Cambrian–Precambrian boundary in, 311, map 312; 313–23
——, sediment supply to continental shelf by major rivers of, 935, maps 936, 937; 938–44
CHOI, H. I., sedimentation and evolution of the Cretaceous Gyeongsang Basin, southeastern Korea, 29–40, figs
chronostratigraphy, value of, 11–3
COBBING, E. J., MALLICK, D. I. J., PITFIELD, P. E. J. & TEOH, L. H., the granites of the Southeast Asian Tin Belt, 537–50, figs
COCKS, L. R. M., *see* FORTEY, R. A.
COCKS, L. R. M., *see* MCKERROW, W. S.
COE, K., geochemical aspects of granite and related rocks [conference report], 855–6
COE, K., *see* EDMUNDS, W. M.
COKE (Major Edward D'Ewes Fitzgerald) MEDAL presented to D. J. MCLAREN, 373–4
COKE (major John Sachaverell A'Deane) MEDAL presented to W. ZIEGLER, 372–3
COLLETTE, B. J., fracture zones in the North Atlantic: morphology and a model, 763–74, figs
COLLETTE, B. J., *see* ROEST, W. R.
COLLEY, H., BROWN, M., DIAZ, F., REA, W. J., SKARMETA, J. & TRELOAR, P. J., the geology and mineralization of the El Salvador region of Northern Chile [*abs*], 965
COLLEY, H., *see* BROWN, M.
COLLINS, D. A., *see* COOPER, M. A.
COLLINS, J. A., *see* KARSON, J. A.
COLLINS, M. B., processes and controls involved in the transfer of fluviatile sediments to the deep ocean, 915–20, figs
——, river sediment supply, delta formation and adjacent shelf processes: conference report and introduction, 913–4
Columbia River USA, sediment discharge and shelf sediment transport, 945–56
Connemara, Ireland, Dalradian pelites, geochemistry of, and new constraints on kyanite genesis, 237, maps, 238; 239–52
——, metagabbro and gneiss complex, 223–7
——, SW, Ireland, fold and thrust Dalradian and metagabbroic-gneiss complex of, 221, maps 222, 227, 229; 230–6
Connemara schists, 221–3
conodonts, palaeobiogeography and thermal maturation of, in Caledonides, 177–8, map 179; 180–4
conodonts, thermal maturation of, 179–82
continental area–elevation relationship, 907–8
continental grouping, and oceanic area, 908–9
COOPER, M. A., COLLINS, D. A., FORD, M., MURPHY, F. X., TRAYNER, P. M. & O'SULLIVAN, M., structural evolution of the Irish Variscides, 53–61, figs
COOPER, M. A., *see* O'SULLIVAN, M. J.
Cordilleran Belt, deep-seated sections of, in S Chile, S California, British Columbia, 965
Cordilleran North America, allochthonous terranes of, 210–1
Cork Harbour, geology of, 55
Cornbrash, of E England Shelf, 384
Cornwall, east, stratigraphy, structure of Devonian rocks of, 95, maps 96; 97–105
——, Gramscatho Group of, 118–9
——, Kennack Gneisses of, 120
——, Lizard Complex, geophysical surveys of, 437–46
——, Meneage Formation of, 119
——, north, Bude Formation, tectonics of, 83–8
——, ——, and Devon, chevron folds modified by simple shear, 89–94
——, ——, Upper Palaeozoic successions, nappe structures of, 75, map/section 76; 77–82
——, south, model for tectonic evolution of, 125, map 126; 127–34
——, S, stratigraphy in, 125–9
——, ——, tectonic model for, 130–2
——, ——, Upper Palaeozoic ophiolites and obduction in, 117, map 118; 119–24
coticules (spessartine metapelites) in Lower Ordovician, Stavelot Massif, Belgium, 253–8
COWARD, M. P., Himalayan neotectonics [*abs*], 326
COX, B. M., *see* PENN, I. E.
CRAIG, C., on the existence of a thin low viscosity layer beneath the lithosophere [*abs*], 740
CRAMPIN, S. & EVANS, R., neotectonics of the Marmara Sea region of Turkey, 343–8, figs
CRESSER, M. S., EDWARDS, A. C., INGRAM, S., SKIBA, U. & PEIRSON-SMITH, T., Soil–acid deposition interactions and their possible effects on geochemical weathering rates in British uplands, 649–58, figs
Cretaceous, of Gyeongsang Basin, Korea, sedimentation of, evolution of, 29–40
Cretaceous Magnetic Quiet Zone, 3-D analysis of magnetic anomalies over fracture zone in, 823–32
Cretaceous–Recent history, of Shimanto terrain, SW Japan fore-arc, 965–6
Cruachan lineament, 453–4
crust, deep, geophysical images of, and Iapetus suture, 489–97
crustal structure, in fracture zones, constraints on, from gravity measurements, 740
Cu–Zn–Au mineral prospect, Gairloch, Scotland, transient electromagnetic studies over, 551–68
CURRY, G. B., fossils and tectonics along the Highland Boundary Fault in Scotland, 193–9, figs
Cyprus, Limassol Forest Complex, leaky transform fault in, 845, maps 846, 847; 848–54

DAHMKE, A., MATTHESS, G., PEKDEGER, A., SCHENK, D. & SCHULZ, H. D., near-surface geochemical processes in Quaternary sediments, 667–72, figs
DAKUEI ZHU, *see* YING WANG
Dalradian, Connemara, Ireland, geochemistry of pelites and new constraints on kyanite genesis, 237–52
——, fold and thrust complex of, Connemara, SW, Ireland, 221–36
Dalradian evolution, influenced by lineaments and basement domains, 453–64
Dalradian sediments, chemistry of, and lineaments, 456
Dalradian structures, defined by lineaments, 456–60
DE VISSER, P. H. B., *see* VAN BREEMEN, N.
décollement, northerly, of Bude Formation, Cornwall, 83–8
deep-towed hydrophone, 807–10
Delaney Dome Formation, of Connemara, 227–8
denudation, worldwide data for, 915–9
DETRICK, R. S., WHITE, R. S. & PURDY, G. M., crustal structure of oceanic fracture zones from seismic reflection and refraction studies [*extended abs*], 739–40
DETRICK, R. S., *see* KARSON, J. A.
Devonian, of east Cornwall, stratigraphy, structure of, 95–105
——, mid, Bristol Channel area, tectonics and sedimentation of, 107–12, map 113; 114–5
Devonian flysch nappes, SW England, Germany, 143
Dharwar Supergroup, *see* Karnataka Craton
DIAZ, F., *see* COLLEY, H.
displaced terranes, evidence of, from Permian to Jurassic faunas, Pacific margins, 209–16
distributed deformation, by faulting, block model of, 349–53
DOODY, J. J. & BROOKS, M., seismic refraction investigation of the structural setting of the Lizard and Start Complexes, SW England, 135–40, figs
DOORNKAMP, J. C., geomorphological approaches to the study of neotectonics, 335–42, figs
DORNING, K. J., organic microfossil geothermal alteration and interpretation of regional tectonic provinces, 219–20

DOWNIE, C., *see* WILKINSON, P.
DOWNING, R. A. & GRAY, D. A., geothermal resources of the United Kingdom, 499–507, figs
drainage water chemistry, in upland sites, England, Wales, 627–34
DUIN, E. J. T., *see* VERHOEF, J. H.
DUNN, C. S., *see* NEAL, C.

earthquake fault-plane mechanisms, Anatolia, Turkey, 344–5
Eastern England Shelf, geophysical log correlation of Upper Jurassic of, 381–410
EDMUNDS, W. M. & COE, K., geochemical aspects of acid rain [introduction to thematic set], 619–20
—— & KINNIBURGH, D. G., the susceptibility of UK groundwaters to acidic deposition, 707–20, figs
EDWARDS, A. C., *see* CRESSER, M. S.
El Loa Provincia, Chile, San Pedro volcano of, 275–86
El Salvador region, N Chile, geology, mineralization, 965
element fluxes, in upland catchments, Wales, England, 633
element mobility, in acidic upland, forested catchment, R. Severn, Mid Wales, 635–48
England, S, nature of lithosphere beneath, 465–7
——, South, West, Variscan structure of, 41–3
——, SW, seismic refraction investigation of Lizard, Start Complexes, 135–40
——, ——, Variscan facies and structure in, 199–207
environmental geology, Glasgow case study, 514–19
ERKAL, T. & HANCOCK, P. L., neotectonic fault systems in the European sector of the North Anatolian fault zone [*abs*], 326
European Alpine foreland, neotectonics of NW section of, 359–60
EVANS, C. D., neotectonic movements in South West Britain: offshore and onshore [*abs*], 326
EVANS, R., *see* CRAMPIN, S.
event stratigraphy, 14–5
extension tectonics, in Wessex Basin, S England, 465–88
extensional stress-fields, Wessex Basin, 483–6

FALLICK, A. E. & ANDREWS, J. E., stable isotopes in sedimentary geology [conference report], 721–2
fault movement and block rotation in zones of distributed deformation, 350–2
faunal belts, marginal, structural implications, with Lower Palaeozoic examples, 151–2, maps 153; 154–60
FEIBEL, C. S., *see* BROWN, F. H.
FERGUSON, C. C. & AL-AMEEN, S. I., geochemistry of Dalradian pelites from Connemara, Ireland: new constraints on kyanite genesis and conditions of metamorphism, 237–52, figs
FETTES, D. J., GRAHAM, C. M., HARTE, B. & PLANT, J. A., lineaments and basement domains: an alternative view of Dalradian evolution, 453–64, figs
Fifteen Twenty Fracture Zone, and N American–S American plate boundary, 833, map 834; 835–43
Finland, S, evolution of early Proterozoic Svecofennides of, 966
flaser bedding, in Taw estuary, Devon, 960–1
FLETCHER, C. J. N., LEAKE, R. C. & HASLAM, H. W., tectonic setting, mineralogy and chemistry of a metamorphosed stratiform base metal deposit within the Himalayas of Pakistan, 521–36, figs
fluviatile sediments, transfer of, to deep ocean, processes and controls on, 915–20
FORBES, W. H., *see* O'SULLIVAN, M. J.
FORD, M., *see* COOPER, M. A.
FORSYTH, D., PRINCE, R. & MORGAN, J. P., constraints on crustal structure in fracture zones from gravity measurements [*abs*], 740
FORSYTH, D. W., PARMENTIER, E. M., MORGAN, J. P. & KUO, B. Y., dynamic models of topographic relief near ridge-transform intersections [*abs*], 740
FORSYTH, D. W., *see* LOUDEN, K. E.
FORSYTH, I. H., *see* BROWNE, M. A. E.
FORTEY, R. A. & COCKS, L. R. M., fossils and tectonics [meeting report], 149–50
——, marginal faunal belts and their structural implications, with examples from the Lower Palaeozoic, 151–60, figs
Forth and Tay, estuaries, Scotland, transport of sediment and solutes into, 927–34
——, and Tay river systems, sediment and solute loads of, 929–33
fossils, and tectonics, introduced, 149–50
——, ——, [thematic set] and:
conodont palaeobiogeography and thermal maturation in Caledonides, 117–84
faunal evidence for displaced terranes, Permian to Jurassic, Pacific margins, 209–16
fossils and tectonics, Highland Boundary Fault, Scotland, 193–8
Iapetus Ocean, use of fossils in distinguishing sutures, terranes, environments in, 185–91
introduction, fossils and tectonics, 149–50
later Palaeozoic radiolaria, in thrust belts, Nevada, 217
marginal faunal belts, structural implications of, Lower Palaeozoic, 151–60
organic microfossil geothermal alteration and interpretation of regional tectonic provinces, 219–20
rates of Neogene, Quaternary tectonic movements, Banda Arc, based on micropalaeontology, 161–75
Variscan facies, structure, SW England, 199–207
——, used in distinguishing sutures, terranes, environments around Iapetus 185–91
fossils and time, 6–7
FOX, P. J. & GALLO, D. G., some thoughts on the tectonics of ridge–transform–ridge plate boundaries: reflections on SEABEAM, SeaMARC I and submersible data [*abs*], 740
FOX, P. J., *see* KARSON, J. A.
fracture zone, Charlie–Gibbs, structure of, 819–21
——, Fifteen Twenty, and N America–S America plate boundary, 833–43
fracture zone crust, old, structure of, Tydeman Fracture Zone, 789–93
fracture zones, Atlantis and Romanche, strike-slip styles in, 757–61
——, constraints on crustal structure in, from gravity measurements 740
——, equatorial, and early opening of Atlantic, 740
——, equatorial Atlantic, GLORIA studies of, 741
——, gravity over, 767
——, North Atlantic, morphology and model, 763–74
——, petrological studies of, and rocks from upper mantle, 740
——, topography of, 767–70
France, Brittany NE, migmatite geochronology in St Malo Massif of, 875–85
FRANCIS, P. W., *see* O'CALLAGHAN, L. J.
FRY, N., *see* BARNICOAT, A. C.

Gairloch, Scotland, Cu–Zn–Au prospect, transient electromagnetic studies over, 551–68
GALLO, D. G., *see* FOX, P. J.
GALLOIS, R. W., *see* PENN, I. E.
Galway Granite, W Ireland, 233
GARFUNKEL, Z., review of oceanic transform activity and development, 775–84, figs
GELINAS, L., *see* LUDDEN, J. N.
GENG WUCHEN, *see* GUAN BAODE
geochemical aspects, granite and related rocks, 855–6
geochemical constraints, on granite origins, Jabel Sayid complex, Arabian Shield, 287–95
geochemical investigations, of watersheds affected by acid deposition, Eastern United States, 621–6

geochemical processes, near-surface, in Quaternary sediments, 667–72
geochemical weathering rates, British uplands, possible effects of soil–acid deposition interactions, 649–58
geochemistry, of acid rain, 619–20
——, of bimodal basalt–subalkaline/peralkaline rhyolite provinces, Southern British Caledonides, 259–73
——, of Dalradian pelites, Connemara, Ireland, and kyanite genesis, 237–52
——, of granitoids, Peninsular Malaysia, 543–9
——, of stratiform Zn–Pb deposit N Pakistan, 528–33
geochemistry of active transform sequence (ATS) basalts, Cyprus 851–2
geochronometry, and Precambrian stratigraphical classification, 3–5
geoelectric profile, and Iapetus suture, 492–3
geological maps, of British Geological Survey, 569–76
geomorphology, and study of neotectonics, 335–42
geothermal alteration, of organic microfossils, and interpretation of regional tectonic provinces 219–20
geothermal resources, of United Kingdom, 499–507
GEUKENS, F., *see* LAMENS, J.
glaciation, latest Proterozoic, Henan Province, China, 311–23
Glasgow, geology of, 511–14
——, urban geology of, case study, 509–11, map 512; 513–20
GLORIA investigations, of oceanic transform fracture zones, 743–56
GLORIA studies, of equatorial Atlantic fracture zones, 741
GLORIA surveys, of Atlantis and Romanche Fracture Zones, and strike-slip styles in oceanic transforms, 757–61
gold mineralization, Proterozoic shield, E Bolivia, 966
GOSLIN, J., *see* PATRIAT, P.
GRAHAM, C. M., *see* FETTES, D. J.
Grampian Highlands, catchment characteristics, 927–9
Grampian Region, NE Scotland, soil–acid deposition interactions in uplands of, 649–57
Gramscatho basin, evolution, ophiolite formation, 119–22
Gramscatho Group, of Devonian, S Cornwall, 118–9
granite, and related rocks, geochemical aspects of, 855–6
granite provinces, Southeast Asia, 538–43
granites, peralkaline and related, Jabel Sayid complex, Arabian Shield, 287–95
——, of Southeast Asian Tin Belt, 537–50
granitoids, Peninsular Malaysia, geochemistry of, 543–9
gravity modelling, of Vema Fracture Zone, 802–4
GRAY, D. A., *see* DOWNING, R. A.
Greece, deformation of sea floor around, 325–6
——, Western, and Ionian Islands, neotectonics of, 326
Greencliff–Sticklepath–Lustleigh–Torquay fault zone, 447
greenstone belts, late Archaean, Superior Province, Canada, evolution of, 967
groundwater, acid inputs to, 711–2
——, chemical composition of, in context of acid rain, 708–11
——, historical record of acid input to, 714–5
——, regional susceptibility to acidic deposition, 715–8
groundwaters, UK, susceptibility to acidic deposition, 707–20
GUAN BAODE, WU RUITANG, HAMBREY, M. J. & GENG WUCHEN, glacial sediments and erosional pavements near the Cambrian–Precambrian boundary in western Henan Province China, 311–23, figs
Gyeongsang Basin, southeastern Korea, sedimentation and evolution of, 29, map 30; 31–40

HAILWOOD, E. A., *see* AUBRY, M.-P.
HALL, S. H., *see* RUTTER, E. H.
HALLAM, A., evidence of displaced terranes from Permian to Jurassic faunas around the Pacific margins, 209–16, figs
HAMBREY, M. J., *see* GUAN BAODE
Hampshire and London basins, Palaeogene stratigraphy of, 729–35
HANCOCK, P. L. & WILLIAMS, G. D., Neotectonics [conference report], 325–6
HANCOCK, P. L., *see* BEVAN, T. G.
HANCOCK, P. L., *see* ERKAL, T.
Hangman Sandstone Group, Devonian, of N Devon, 107
HARRIS, N. B. W., MARZOUKI, F. M. H. & ALI, S., the Jabel Sayid complex, Arabian Shield: geochemical constraints on the origin of peralkaline and related granites, 287–295, figs
HARTE, B., *see* FETTES, D. J.
HASLAM, H. W., *see* FLETCHER, C. J. N.
HAWORTH, R. T., *see* LUMSDEN, G. I.
Hayang Group, SE Korea, 33–4
heat flow, UK, 499–500
heavy minerals, in Devonian, N. Devon, 108–9
Henan Province, China, latest Proterozoic glaciation in, 311–23
Highland Border Complex, Scotland, 194–7
Highland Boundary Fault, Scotland, fossils and tectonics along, 193–8
high-pressure assemblages, Zermatt–Saas ophiolite, petrogenesis of, 614–7
Himalayan neotectonics, 326
Himalayas, Alps, thrust tectonics, deep structure and crustal subduction in, 857–73
——, of Pakistan, setting of base metal deposit in, 521–36
——, western, crustal structure, 865–7
HOLDER, M. T. & LEVERIDGE, B. E., correlation of the Rhenohercynian Variscides, 141–7, figs
——, a model for the tectonic evolution of south Cornwall, 125–34, figs
HOLDSWORTH, B. K., later Palaeozoic Radiolaria in thrust belts of Nevada, 217
HOLLAND, C. H., does the golden spike still glitter? [President's anniversary address, 1985], 3–21, figs
HOLLOWAY, S. & CHADWICK, R. A., the Sticklepath–Lustleigh fault zone: Tertiary sinistral reactivation of a Variscan dextral strike-slip fault, 447–52, figs
HORNUNG, M., ADAMSON, J. K., REYNOLDS, B. & STEVENS, P. A., influence of mineral weathering and catchment hydrology on drainage water chemistry in three upland sites in England and Wales, 627–34, figs
hot dry rock reserviors, 503–4
HOWELLS, M. F., REEDMAN, A. J. & CAMPBELL, S. D. G., the submarine eruption and emplacement of the Lower Rhyolitic Tuff Formation (Ordovician), N Wales, 411–23, figs
HUBERT, C., *see* LUDDEN, J. N.
Huntingbridge magnetozone, 732–3
hydrogeochemistry, of rainfall, stream water upper R. Severn, 636–40
hydrology, of upland catchments, Wales, England, 632–3
hypsometry, continental, and sea-level post-Triassic, 907–10

Iapetus Ocean, use of fossils in distinguishing sutures, terranes, environments around, 185, map 186; 187–91
Iapetus suture, geophysical images of, 489–97
——, in Newfoundland, 187–90
ichnology, of *Beaconites* burrows, SW Ireland, 903–4
India, NW, geotectonic framework, of Aravalli–Delhi orogenic belt, 968
——, S, volcanosedimentary basins of Archaean Karnataka Craton, 967–8
Indian Plate, regional geology of, in N Pakistan, 522–4
INGRAM, S., *see* CRESSER, M. S.
Inish Granite, W Ireland, 233
intertidal and subtidal bedforms, evolution, mechanics of, and relevance to geological structures, 957–62
Ireland, Connemara, geochemistry of Dalradian pelites, new

constraints on kyanite genesis and conditions of metamorphism, 237–52
——, ——, SW, Dalradian and metagabbroic-gneiss complex of, 221–36
——, SW, *Beaconites*-like burrows, palaeoenvironment and deformation of, in Old Red Sandstone, 897–906
——, Variscides of, structural evolution, 53–61
Irish Variscides, deep structure, 57–60
——, ——, structural zonation, 56–7
isograptid biofacies, early Ordovician, distribution of, 152
isotopes, stable, in sedimentary geology, 721–2
isotopic biofacies, early Ordovician, distribution of, 152
isotopic evolution, of Jabel Sayid granite, Arabian Shield, 290–2

Jabel Sayid complex, Arabian Shield, geochemical constraints on the origin of peralkaline and related granites in, 287, map 288; 289–95
JACKSON, J., *see* MCKENZIE, D.
JACKSON, J. A., large scale active tectonics of the Middle East [*abs*], 326
JACKSON, S. E., *see* LEAT, P. T.
Japan, SW, fore-arc, Cretaceous–Recent history of Shimanto terrain in, 965–6
JOHNSON, R. L., current projects of the British Geological Survey in Africa [*abs*], 964
JONES, E. J. W., equatorial fracture zones and the early opening of the Atlantic [*abs*], 740
Jurassic, Upper of Eastern England Shelf, geophysical log correlation of, 381–410

K-Ar dates, for volcanic rocks, N Tanzania, 601–4
Kaltungo lineament, NE Nigeria, fault rocks of, and relationship to Benue Trough tectonics, 587, maps 588, 589; 590–9
Kane Fracture Zone, tectonics of, 741
Karnataka Craton, S India, Archaean volcanosedimentary basins of, 967–8
KARSON, J. A., lithosphere age, depth and structural complications resulting from migrating transform faults, 785–8, figs
——, magmatic, metamorphic and tectonic processes in ocean fracture zones: evidence from the Coastal Complex, western Newfoundland [*abs*], 740–1
——, FOX, P. J., DETRICK, R. S., MAYER, L., RYAN, W. B. F., KASTENS, K. A. & COLLINS, J. A., tectonics of the Kane Fracture Zone [*abs*], 741
KASTENS, K. A., *see* KARSON, J. A.
KBS Member, of Koobi Fora Formation, Kenya, 304–5
Kellaways Beds, of E England Shelf, 386–7
Kennack Gneisses, Cornwall, 120
Kenya, Koobi Fora region, revision of lithostratigraphic nomenclature in, 297–310
Kershope, N England, drainage water chemistry at, 628
Kimmeridge Clay, of E England Shelf, 395–9
KINNIBURGH, D. G., towards more detailed methods for quantifying the acid susceptibility of rocks and soils, 679–90, figs
KINNIBURGH, D. G., *see* EDMUNDS, W. M.
KIRIAKIDIS, L., *see* BROOKS, M.
KLITGORD, K. D., *see* SCHOUTEN, H. A.
Koobi Fora region, Kenya, revision of lithostratigraphic nomenclature in, 297, maps 298, 199; 300–10
Korea, southeastern, Cretaceous Gyeongsang Basin of, sedimentation, evolution of, 29–40
——, southern, major tectonic provinces and palaeogeographical reconstruction, 37–9
KUO, B. Y., *see* FORSYTH, D. W.
KUSZNIR, N. J., *see* BLENKINSOP, T. G.

kyanite formation, compositional control on, Dalradian, Connemara, 239–40

LAJOIE, J., *see* LUDDEN, J. N.
Lake District, England, gravity survey and model of granite batholith, 425, maps 426, 427; 428–35
——, N England, geological summary, 425
——, ——, gravity data, 426–32
LAMENS, J., GEUKENS, F. & VIAENE, W., geological setting and genesis of coticules (spessartine metapelites) in the Lower Ordovician of the Stavelot Massif, Belgium, 253–8, figs
Landsat images, lineaments on, S England, N France, 359
LANGHORNE, D. N. & READ, A. A., the evolution and mechanics of modern intertidal and subtidal bedforms: their relevance to geological structures, 957–62, figs
layer parallel shortening, in Irish Variscides, 53–4
LEAKE, B. E., the geology of SW Connemara, Ireland: a fold and thrust Dalradian and metagabbroic-gneiss complex, 221–36, figs
LEAKE, R. C., *see* FLETCHER, C. J. N.
LEAT, P. T., JACKSON, S. E., THORPE, R. S. & STILLMAN, C. J., geochemistry of bimodal basalt–subalkaline/peralkaline rhyolite provinces within the Southern British Caledonides, 259–73, figs
LEE, M. K., a new gravity survey of the Lake District and three-dimensional model of the granite batholith, 425–35, figs
LEG 104 SCIENTIFIC PARTY (ELDHOLM, O., THIEDE, J. *et al.*), dipping reflectors in the Norwegian Sea—ODP Leg 104 drilling results [*extended abs*], 911–2, figs
LEGGETT, J. K., the Cretaceous–Recent history of the SW Japan fore-arc—recent and ongoing work in the Shimanto terrane [*abs*], 965–6
LEGGETT, J. K., *see* PLATT, J. P.
LEVERIDGE, B. E., *see* HOLDER, M. T.
Lincolnshire, E England, U Jurassic stratigraphy in, 381–410
lineaments, and basement domains, alternative view of Dalradian evolution, 453–64
Liskeard, east Cornwall, stratigraphy, structure of Devonian rocks around, 95–105
lithosphere, beneath southern England, 465–7
——, low viscosity layer, beneath, 740
lithosphere age, depth, structural complications, resulting from migrating transform faults, 785–8
lithospheric stretching, in North Aegean trough, questioned, 23–7
Lizard, and Start complexes, structural setting of, 135–40
Lizard Complex, Cornwall, geophysical surveys of, 437, map 438; 439–46
——, geology of, 117–8
Lizard–Start seismic line, 136–8
LLOYD, G. E. & WHALLEY, J. S., the modification of chevron folds by simple shear: examples from north Cornwall and Devon, 89–94, figs
LLOYD, G. E., *see* WHALLEY, J. S.
Lokochot Member, of Koobi Fora Formation, Kenya, 301
London Clay, magnetozones of, 731–2
LONG, R. E., *see* BLENKINSOP, T. G.
Lonyumun Member, of Koobi Fora Formation, Kenya, 299–301
Loop survey and loop response, in Transient Electromagnetic method, 551–64
LOUDEN, K. E., WHITE, R. S., POTTS, C. G. & FORSYTH, D. W., structure and seismotectonics of the Vema Fracture Zone, Atlantic Ocean, 795–805, figs
low viscosity layer, beneath lithosphere, 740
Lower Rhyolitic Tuff, Ordovician, of N Wales, submarine eruption of, 411–23
Luanhe River, China, sediment discharge, 937–9
LUDDEN, J. N., HUBERT, C., GELINAS, L. & LAJOIE, J., the

geological evolution of the late-Archaean greenstone belts of the Superior Province of Canada [*abs*], 967
LUMSDEN, G. I. & HAWORTH, R. T., Introduction: the British Geological Survey Database, 379–80
Luoquan Formation, N China, stratigraphical, structural setting and glacial sediments of, 311–2
LYELL MEDAL presented to J. D. HUDSON, 371–2; L. FUND presented to D. K. SMYTHE, 375

MACCARTHY, I. A. J., *see* O'SULLIVAN, M. J.
MCKENZIE, D. & JACKSON, J., a block model of distributed deformation by faulting, 349–53, figs
MCKERROW, W. S. & COCKS, L. R. M., oceans, island arcs and olistostromes: the use of fossils in distinguishing sutures, terranes and environments around the Iapetus Ocean, 185–91, figs
MCMANUS, J., land-derived sediment and solute transport to the Forth and Tay estuaries, Scotland, 927–34, figs
MCMILLAN, A. A., *see* BROWNE, M. A. E.
Madeira Abyssal Plain, 3-D analysis of magnetic anomalies over fracture zone in, 823–32
magnetic, and nannofossil stratigraphy, of Palaeogene, Hampshire and London basins, 729–35
magnetic anomalies, over fracture zones, Madeira Abyssal Plain, 826–8
magnetic anomalies over fracture zone, 3-D analysis of, Cretaceous Magnetic Quiet Zone, 823–32
Magondi mobile belt, Zimbabwe, evolution of, 964–5
Main Range batholith, Peninsular Malaysia, 538–41
MALLICK, D. I. J., *see* COBBING, E. J.
Mannin thrust, Connemara, 232–3
marginal belts, vertical movements in, determined using fossils, 157–8
Marmara Sea region, Turkey, neotectonics of, 343–8
MARZOUKI, F. M. H., *see* HARRIS, N. B. W.
MATTHESS, G., *see* DAHMKE, A.
MAURIN, J. C., BENKHELIL, J. & ROBINEAU, B., fault rocks of the Kaltungo lineament, NE Nigeria, and their relationship with Benue Trough tectonics, 587–99, figs
MAYER, L., *see* KARSON, J. A.
MEI-E REN, *see* YING WANG
Meneage Formation, Cornwall, 119
Mendip–Bristol area, geology, structural synthesis, 65–71
Meru–Kilimanjaro region, Northern Tanzania, volcanic chronology of, 601–5
mesofracture system, late Cenozoic S England, N France, 355, map 356; 357–62
metamorphic core, Caledonian, Alpine model of, 723–8
metamorphism, of Dalradian, and lineaments, 461–2
——, of Dalradian pelites, Connemara, Ireland, and new constraints on kyanite genesis, 237–52
——, high pressure, of Zermatt–Saas ophiolite zone, Switzerland, 607–18
——, prograde, St Malo Massif, Brittany, behaviour of zircon during, 880–4
microfossils, organic, geothermal alteration of, and interpretation of regional tectonic provinces, 219–20
micropalaeontology, used to assess rates of tectonic movement, Neogene, Quaternary, Banda Arc, 161, maps 162, 163; 164–75
microtectonics, brittle, 355–9
Middle East, active tectonics of, 326
mid-German crystalline rise, 141
migmatite geochronology, NE Brittany, 875–85
Milepost Slate Formation, Devonian, of E Cornwall, 99
MITCHELL, J. G., *see* WILKINSON, P.
Moel Ddu, Moel Hebog, Moel Siabod, N Wales, Ordovician tuffs of, 411–23
Moiti Member, of Koobi Fora Formation, Kenya, 301
monzogranite, of Jabel Sayid Complex, Arabian Shield, 294
MOORE, R. J. & NEWSON, M. D., production, storage and output of coarse upland sediments: natural and artificial influences as revealed by research catchment studies, 921–6, figs
MORGAN, J. P., *see* FORSYTH, D.
MORGAN, J. P., *see* FORSYTH, D. W.
morphotectonics, recent approaches to, 336–9
MUIR WOOD, R., North Sea neotectonics [*abs*], 326
Mull, Scotland, ^{40}Ar–^{39}Ar ages of Tertiary igneous rocks of, 887–96
MURCHISON MEDAL, presented to B. F. WINDLEY, 578–9; M. FUND presented to J. A. PLANT, 375
MURPHY, F. X., *see* COOPER, M. A.
MURTON, B. J., anomalous oceanic lithosphere formed in a leaky transform fault: evidence from the Western Limassol Forest Complex, Cyprus, 845–54, figs
MUSSETT, A. E., ^{40}Ar–^{39}Ar step-heating ages of the Tertiary igneous rocks of Mull, Scotland, 887–96, figs

NEAL, C., SMITH, C. J., WALLS, J. & DUNN, C. S., major, minor and trace element mobility in the acidic upland forested catchment of the upper River Severn, Mid Wales, 635–48, figs
NELL, P. A. R., on the Caledonian metamorphic core: an Alpine model [discussion of: BRADBURY], 723–4
Neogene, and Quaternary, micropalaeontology and rates of tectonic movement, Banda Arc, 161–75
Neogene accretionary prism, slip-vectors from, Makran Coast, Pakistan, 326
Neogene fault zones, Betic Zone, SE Spain, 326
neotectonic fault systems, European sector, North Anatolian fault zone, 326
neotectonic movements, South West Britain, 326
neotectonics, geomorphological approaches to study of, 335–42
——, Himalayan, 326
——, of Marmara Sea region, Turkey, 343–8
——, of NW European Alpine foreland, 359–60
——, of North Sea, 326
——, of Tibet, deduced by remote sensing, 326
——, in Western Greece and Ionian Islands, 326
neotectonics [thematic set] and:
block model of distributed deformation by faulting, 349–53
geomorphological approaches to study of, 335–42
introduction to, 325–6
late Cenozoic mesofracture system, England, France, 355–62
neotectonics, Marmara Sea region, Turkey, 343–8
seismicity and tectonics, Wales, 327–34
Nevada, radiolaria in later Palaeozoic thrust belts of, 217
Newfoundland, Coastal Complex, evidence for processes in oceanic fracture zones from, 740–1
NEWSON, M. D., *see* MOORE, R. J.
Nigeria, NE, fault rocks of Kaltungo lineament of, and relationship with Benue Trough tectonics, 587–99
North Aegean trough, subsidence of, 23, map 24; 25–7
North Anatolian Fault, Turkey, tectonic setting of, 343
North Anatolian fault zone, neotectonic fault systems in, 326
North Atlantic, fracture zones, morphology and a model, 763–74
North Atlantic seafloor, stable segmentation of, 741
North Sea, neotectonics of, 326
Northern Thailand Migmatite Province, 542–3
Norwegian Sea, dipping reflectors in, ODP Leg 104 results, 911–12
Notre Dame Bay, Newfoundland, Ordovician of, 190

O'CALLAGHAN, L. J. & FRANCIS, P. W., volcanological and petrological evolution of San Pedro volcano, Provincia El Loa, North Chile, 275–86, figs
O'SULLIVAN, M. J., COOPER, M. A., MACCARTHY, I. A. J. & FORBES, W. H., the palaeoenvironment and deformation of

Beaconites-like burrows in the Old Red Sandstone at Gortnabinna, SW Ireland, 897–906, figs
O'SULLIVAN, M., *see* COOPER, M. A.
obduction, in Upper Palaeozoic ophiolite, south Cornwall, 117–24
ocean fracture zones, processes in, evidence from Coastal Complex, Newfoundland, 740–1
oceanic fracture zones, crustal structure of, from seismic studies, 739–40
——, and transform fault zones, GLORIA investigations of, 743–56
oceanic fracture zones [thematic set] and:
anomalous oceanic lithosphere, in leaky transform fault, Cyprus, 845–54
deep-tow seismic profiles, Vema transform, 807–17
Fifteen Twenty Fracture Zone and North American–South American plate boundary, 833–43
fracture zones in the North Atlantic, a model, 763–74
GLORIA investigations of oceanic transform fracture zones, 743–56
GLORIA surveys of strike-slip fault styles, Atlantis and Romanche Fracture Zones, 757–61
oceanic fracture zones, introduction 737–41
oceanic transform activity and development, reviewed, 775–84
structural complications resulting from migrating transform faults, 785–88
structure of Charlie–Gibbs Fracture Zone, 819–21
three dimensional analysis of magnetic anomalies over fracture zones, Madeira Abyssal Plain, 823–32
The Tydeman, morphology and seismic structure of old fracture zone crust, 789–93
oceanic lithosphere, anomalous, formed in leaky transform fault, Cyprus, 845–54
oceanic transform activity, a review, 775–84
oceanic transform faults, strike-slip styles in, Atlantis and Romanche Fracture Zones, 757–61
ODP Leg 104, and dipping reflectors in Norwegian Sea, 911–2
OGILVY, R. D., transient electromagnetic studies over a Cu–Zn–Au mineral prospect Gairloch, Scotland, 551–68, figs
Okote Member, of Koobi Fora Formation, Kenya, 305–6
Old Red Sandstone, SW Ireland, palaeoenvironment and deformation of *Beaconites*-like burrows in, 897, map 898; 899–906
Oldhaven magnetozone, 731
ophiolite generation, and obduction, in Upper Palaeozoic, south Cornwall, 117–24
ophiolite zone, Zermatt–Saas, Switzerland, metamorphism of, 607–18
Ordovician, Lower, genesis of coticules in, Stavelot Massif, Belgium, 253–8
——, Lower Rhyolitic Tuff Formation of, N Wales, 411–23
Ordovician basalt-rhyolite provinces, magmatic evolution, 267–70
Ordovician–Silurian boundary, 9–10
Ordovician volcanic rocks, southern British Caledonides, geochemistry of, 262–7
Oxford Clay, of E England Shelf, 388–9

PACES, T., weathering rates of gneiss and depletion of exchangeable cations in soils under environmental acidification, 673–7, figs
Pacific margins, displaced terranes around, evidence from Permian to Jurassic faunas, 290–16
Pakistan, Himalayas of, tectonic setting of mineralogy, chemistry of base metal deposit in, 521–36
——, Makran Coast of, accretionary prism, 326
——, N, tectonic setting of, 521–2
Palaeogene, lower, Hampshire and London Basins, magnetic and nannofossil stratigraphy of, 729–35
Palaeozoic, later, radiolaria of, in thrust belts, Nevada, 217
——, Lower, marginal faunal belts and their structural implications, 151–60
——, Upper, ophiolite generation and obduction in, south Cornwall, 117–24
——, ——, successions, nappe structures, north Cornwall, 75–82
Pan African granites of Kaltungo Inlier, NE Nigeria, 588–90
PARMENTIER, E. M., *see* FORSYTH, D. W.
PARSON, L. M. & SEARLE, R. C., strike-slip fault styles in slow-slipping oceanic transform faults—evidence from GLORIA surveys of Atlantic and Romanche Fracture Zones, 757–61, figs
PARSON, L. M., *see* THOMAS, M. V.
partial melting, of migmatitic gneisses, and behaviour of Rb-Sr and U-Pb systems, NE Brittany, 875–85
Parys Mountain, Anglesey, Geological setting, and rhyolites of, 259
PATRIAT, P., SEGOUFIN, J., GOSLIN, J. & BEUZART, P., changes of spreading direction along Prince Edward Fracture Zone (SW Indian Ocean) deduced from reconstructions of the Africa–Antarctica plate boundary since 80 Ma [*abs*], 741
Pazang Group, of N Pakistan, stratigraphy, 525–8
Pearl River, China, sediment discharge, 942–3
PEKDEGER, A., *see* DAHMKE, A.
pelites, kyanite, geochemistry of, Dalradian, Connemara, 240–6
Pendower Formation, of Devonian, S Cornwall, 128
PENN, I. E., COX, B. M. & GALLOIS, R. W., towards precision in stratigraphy: geophysical log correlation of Upper Jurassic (including Callovian) strata of the Eastern England Shelf, 381–410, figs
PEUCAT, J. J., behaviour of Rb-Sr whole rock and U-Pb zircon systems during partial melting as shown in migmatitic gneisses from the St Malo Massif, NE Brittany, France, 875–85, figs
pH, of rainfall, in eastern US watersheds, 622–5
Phanerozoic stratigraphical classification, development of, 5–10
PIERSON-SMITH, T., *see* CRESSER, M. S.
PITFIELD, P. E. J., the geology of the Precambrian shield of Eastern Bolivia with special reference to Proterozoic gold mineralization [*abs*], 966
PITFIELD, P. E. J., *see* COBBING, E. J.
PLANT, J. A., *see* FETTES, D. J.
plate boundaries, ridge–transform–ridge, tectonics of, using high resolution tools, 740
plate boundary, N America–S America, and Fifteen Twenty Fracture Zone, 833–43
Plateau Group, Mull, Scotland, ^{40}Ar–^{39}Ar ages of lavas in, 889–94
PLATT, J. P. & LEGGETT, J. K., slip-vectors from the Neogene accretionary prism, Makran Coast, Pakistan [*abs*], 326
Pleistocene, alluvial deposits nutrient and proton budgets in soils underlain by, 659–66
Plynlimon, Wales, drainage water chemistry at, 627
——, ——, hydrogeochemistry of rainfall, stream water, in catchment, 636–40
Plynlimon catchments, mid-Wales, production of coarse upland sediments in, 921–6
podzolic soils, on granites, weathering and implications for water acidification, 691–7
——, mineral weathering, in, 692–4
Port Isaac Nappe, N Cornwall, 79–80
Portscatho Formation, of Devonian, S Cornwall, 128
POTTS, C. G., WILLIAMS, C. A., CALVERT, A. J. & WHITE, R. S., the Tydeman: morphology and seismic structure of old fracture zone crust, 789–93, figs
POTTS, C. G., *see* LOUDEN, K. E.
Precambrian shield, Eastern Bolivia, geology and Proterozoic gold mineralization, 966
Precambrian stratigraphical classification, 3–5
PRESIDENT'S AWARD presented to G. B. CURRY, 375–6
PRESIDENT'S AWARD presented to J. A. JACKSON, 376

PRINCE, R., *see* FORSYTH, D.
Prince Edward Fracture Zone, changes of spreading direction along, 741
Proterozoic, Aravalli–Delhi orogenic belt of, NW India, geotectonic framework, 968
——, early, evolution of Svecofennides of, southern Finland, 966
——, gold mineralization, in shield, E Bolivia, 966
——, latest, global distribution of glacial sediments, 321–2
——, Zimbabwe, evolution of Magondi and Zambesi mobile belts, 964–5
proton budgets, in soil–vegetation systems, 663–5
pull-apart basins, Bovey and Petrockstow, Devon, 449–51
PURDY, G. M., *see* DETRICK, R. S.
pyroclastic breccias, Ordovician, N Wales, 415

Quaternary sediments, near-surface geochemical processes in, 667, map 668; 669–72

Radesforder Berg, W Germany, near-surface geochemical processes in Quaternary sediments of, 667–71
radiolaria, later Palaeozoic, in thrust belts, Nevada, 217
RAMAKRISHNAN, M., *see* CHADWICK, B.
Rawns Formation, Devonian, of N Devon, 110–2
Rb-Sr and U-Pb systems, behaviour of, during partial melting, in migmatitic gneisses, NE Brittany, 875–85
REA, W. J., *see* COLLEY, H.
READ, A. A., *see* LANGHORNE, D. N.
REEDMAN, A. J., *see* HOWELLS, M. F.
reflectors, dipping, Norwegian Sea, 911–2
regional geology, current research in, 963–8
Researcher Ridge & Trough, mid-Atlantic, 838
REYNOLDS, B., *see* HORNUNG, M.
Rhenohercynian Variscides, correlation of, 141–7
Rhenohercynian zones, of SW England, Germany, 141–4
rhyolite intrusions, and extrusions, Ordovician, N Wales, 420
ridge–transform intersection, seismic profiles of, 807–17
ridge–transform intersections, topographic relief near, 740
ridge–transform–ridge plate boundaries, tectonics of, 740
Rift Valley Province, N Tanzania, volcanic chronology of, 601–5
river sediment supply, delta formation, shelf processes [thematic set] and:
  evolution, mechanics of modern intertidal and subtidal bedforms, relevance to geological structures, 957–62
  land-derived sediment and solute transport to Forth, Tay estuaries Scotland, 927–34
  processes, controls over transfer of fluviatile sediments to deep ocean, 915–20
  production, storage, output of coarse upland sediments, natural and artificial influences on, 921–6
  river sediment supply, delta formation, shelf processes, introduction, 913–4
  sediment supply to continental shelf by major Chinese rivers, 935–44
  transport, accumulation, of river sediment on Washington shelf, USA, 945–56
ROBINEAU, B., *see* MAURIN, J. C.
ROEST, W. R. & COLLETTE, B. J., the Fifteen Twenty Fracture Zone and the North American–South American plate boundary, 833–43, figs
ROLLIN, K. E., geophysical surveys on the Lizard Complex, Cornwall, 437–46, figs
Romanche Fracture Zones, GLORIA investigation of, 758–60
Roseland Breccia Formation, of Devonian, S Cornwall, 129
Rosenun Slate Formation, Devonian, of E Cornwall, 97–9
ROTHERY, D. A., neotectonics of the Tibet region deduced by remote sensing [*abs*], 326
Royal Trough, mid-Atlantic, 838
RUTTER, E. H. & HALL, S. H., the structure of Neogene fault zones and fault rocks of the Betic Zone, SE Spain [*abs*], 326
RYAN, W. B. F., *see* KARSON, J. A.

St Malo Massif, NE Brittany, behaviour of Rb-Sr and U-Pb systems during partial melting in, 875–85
Salmian (Sm1, Sm2, Sm3), or Lower Ordovician, Stavelot Massif, Belgium, 253
San Pedro volcano, North Chile, volcanological and petrological evolution of, 275–86
SCHENK, D., *see* DAHMKE, A.
SCHOUTEN, H. A. & KLITGORD, K. D., stable segmentation of central North Atlantic seafloor [*abs*], 741
SCHULZ, H. D., *see* DAHMKE, A.
Scotland, Forth and Tay estuaries, transport of sediment and solutes into, 927–34
——, Gairloch, transient electromagnetic studies over Cu–Zn–Au mineral prospect, 551–68
——, Highland Boundary fault, fossils and tectonics along, 193–8
——, Mull, ^{40}Ar–^{39}Ar ages of Tertiary igneous rocks of, 887–96
SCRUTTON, R. A., early tectonic evolution of the Charlie–Gibbs Fracture Zone, North Atlantic [*abs*], 741
sea level, and continental hypsometry, of post-Triassic, 907–10
SEARLE, R. C., GLORIA investigations of oceanic fracture zones: comparative study of the transform fault zone, 743–56, figs
SEARLE, R. C., *see* PARSON, L. M.
sediment, land-derived, and solutes, transport of, to Forth, Tay estuaries, Scotland, 927–34
——, river-derived, transport and accumulation of, on Washington shelf, USA, 945–56
sediment supply, to continental shelf by major Chinese rivers, 935–44
sedimentary geology, stable isotopes in, 721–2
sediments, coarse, upland, natural and artificial influence on production, storage, output of, 915–20
SEGOUFIN, P., *see* PATRIAT, P.
seismic profiling, deep, reflection, South West Approaches, 45, map 46; 47–52
seismic profiles, Vema transform, and ridge–transform intersection, 807–17
seismic refraction, investigation of structural setting, Lizard, Start complexes, SW England, 135–40
seismicity, and tectonics, Wales, 327–34
SELWOOD, E. B. & THOMAS, J. M., Upper Palaeozoic successions and nappe structures in north Cornwall, 75–82, figs
——, Variscan facies and structure in central SW England, 199–207, figs
Severn, River, element mobility in acidic upland catchment of, Mid Wales, 635–48
Shap Granite, N England, geology, gravity, 432–3
shear, simple, modifies chevron folds, north Cornwall, Devon, 89–94
Shimanto terrain, of SW Japan fore-arc, Cretaceous–Recent history of, 965–6
Silurian–Devonian boundary, 8–9
Sindong Group, SE Korea, 31–3
Sinian type section, correlation with Luoquan, Dongjia and Huanglianduo Formations, N China, 312–5
SKARMETA, J., *see* COLLEY, H.
SKIBA, U., *see* CRESSER, M. S.
Skiddaw Granite, N England, geology, gravity, 433–4
slumped beds, Bude Formation, N Cornwall, 83–7
SMITH, C. J., *see* NEAL, C.
SMITH, M. J., *see* BLENKINSOP, T. G.
SMYTHE, D. K., *see* BEAMISH, D.
Snowdonia, geology and Lower Rhyolitic Tuff Formation of, 411–4
——, North Wales, geological setting and rhyolites of, 259–61

solid–acid deposition interactions, effects on geochemical weathering rates, British uplands, 649–58
soil biological properties, effect of acid deposition on, 655–6
soil interstitial water, chemistry of, 683–6
soils, nutrient and proton budgets in soil underlain by Pleistocene alluvium, 659–66
——, and rocks, methods for quantifying acid susceptibility of, 679–90
——, and waters, aluminium mobilization in, 699–706
——, under acidification, weathering rates of gneiss and cation depletion in, 673–7
Southeast Asian Tin Belt, granites, of, 537, maps 538, 539; 540–50
Spain, SE, Betic Zone, Neogene fault zones of, 326
Sporadhes basin, Aegean trough, listric faulting, ductile thinning in, 23–7
spreading-centre offsets, determined using GLORIA, 743–52
stable isotopes, in sedimentary geology, 721–2
Staddon Grits, Devonian, of E Cornwall, 95–7
Stavelot Massif, Belgium, geological setting and genesis of coticules in Lower Ordovician of, 253, map 254; 255–8
STERNBERG, R. W., transport and accumulation of river-derived sediment on the Washington continental shelf, USA, 945–56, figs
STEVENS, P. A., *see* HORNUNG, M.
Sticklepath–Lustleigh fault zone, Tertiary reactivation of Variscan fault, 447, map 448; 449–52
STILLMAN, C. J., *see* LEAT, P. T.
stratiform mineralization, N Pakistan, environment of formation, 533–4
stratigraphical classification, 3–10
stratigraphy, precision in, geophysical log correlation, Jurassic, Eastern England Shelf, 381–410
striated pavements, in Luoquan Formation, latest Proterozoic, N China, 317–8
structural models, testing of, 326
subduction, crustal, in Alps, Himalayas, 867–8
subsidence, of North Aegean trough, 23–7
suspect terranes, and fossils, model for determining terrane positions, 155–7
Svecofennides, of S Finland, early Proterozoic evolution of, 966
SWAT, seismic profiles, 45–52
Switzerland, Zermatt–Saas ophiolite of, 607–18

TANNER, P. W. G., *see* BURTON, C. J.
Tanzania, Northern, volcanic chronology of Meru–Kilimanjaro region of, 601–5
TARNEY, J., WINDLEY, B. F. & BARTHOLOMEW, D. S., deep-seated sections of the Cordilleran belt of S Chile, S California, USA and British Columbia, Canada [*abs*], 965
Taw estuary, Devon, intertidal and subtidal bedforms of, 957–62
TEM studies, Cu–Zn–Au prospect, Gairloch Scotland, 551–68
Tempellow Slate Formation, Devonian, of E Cornwall, 97
TEOH, L. H. *see* COBBING, E. J.
Tertiary igneous rocks, Mull, Scotland, ^{40}Ar–^{39}Ar ages of, 887–96
Thailand–Burma granite province, 541–2
Thanet magnetozone, 731
Thelon tectonic zone, Canada, reactivated Archaean mobile belt, 967
thermal maturation, in conodonts, 179–82
——, of conodonts in Caledonides, 177–84
thermobarometry, of Dalradian pelites, Connemara, 247–9
thermodynamics, of sediment-rock–water interactions, R. Severn catchment, Wales, 640–4
THOMAS, J. M., *see* SELWOOD, E. B.
THOMAS, M. V. & PARSON, L. M., GLORIA tectonic studies of the equatorial Atlantic fracture zones [*abs*], 741
THOMPSON, P. H., the Thelon Tectonic Zone—a reactivated Archaean mobile belt [*abs*], 967
THORPE, R. S., *see* LEAT, P. T.
thrust tectonics, and deep structure, crustal subduction, Alps, Himalayas, 857, map 858; 859–73
Tibet, neotectonics of, deduced by remote sensing, 326
Timor–Seram allochthon, of Neogene, Quaternary, 163–6
Timor–Seram autochthon, of Neogene, Quaternary, 166
Timor–Seram parautochthon, of Neogene, Quaternary, 162–3
Tin Belt, Southeast Asia, granites of, 537–50
TOWNSEND, H. A., *see* AUBRY, M.-P.
transform fault, leaky, anomalous oceanic lithosphere formed in, Cyprus, 845–54
——, ——, S Cornwall, and ophiolite generation, 121–2
——, transition to inactive fracture zone, N Atlantic, 766–7
transform fault zones, GLORIA investigations of, and oceanic fracture zones, 743–56
transform faults, migrating, structural complications resulting from, 785–8
transform tectonized zone (TTZ), of Atlantis, Romanche Fracture zones, 757–61
transforms, fast slipping, E Pacific Rise, 752–3
transient electromagnetic (TEM) studies over Cu–Zn–Au prospect, Gairloch, Scotland, 551–68
TRAYNER, P. M., *see* COOPER, M. A.
Tredorn Nappe, N Cornwall, 76–9
TRELOAR, P. J., evolution of the Proterozoic Magondi and Zambesi mobile belts, Zimbabwe [*abs*], 964–5
TRELOAR, P. J., *see* COLLEY, H.
Trentishoe Formation, Devonian, of N Devon, 107–9
Triassic, post-, continental hypsometry and sea level in, 907–10
Troodos Massif, Cyprus, 845
tuffs, ash-flow, Ordovician, N Wales, 414–9
Tulu Bor Member, of Koobi Fora Formation, Kenya, 301–2
TUNBRIDGE, I. P., mid-Devonian tectonics and sedimentation in the Bristol Channel area, 107–15, figs
Turkey, Marmara Sea region, neotectonics of, 343–8
Turkish Dilatancy Projects (TDP), 343–7
Tydeman Fracture Zone, morphology, seismic structure of old fracture zone crust, 789–93

UK groundwaters, susceptibility to acidic deposition, 707–20
UNDERHILL, J. & BROOKS, M., neotectonics in Western Greece and the Ionian Islands [*abs*], 326
United Kingdom, geothermal resources of, 499–507
United States, Eastern, geochemical investigations of acid deposition in watersheds, 621–6
upper mantle rocks, in fracture zones, 740
urban geology, Glasgow case study, 509–20
USA, Washington continental shelf of, accumulation of river-derived sediment on, 945–56

VAN BREEMEN, N., DE VISSER, P. H. B. & VAN GRINSVEN J. J. M., nutrient and proton budgets in four soil–vegetation systems underlain by Pleistocene alluvial deposits, 659–66, fig
VAN GRINSVEN, J. J. M., *see* VAN BREEMEN, N.
Variscan basement, beneath S England, 467–70
Variscan facies, and structure, central SW England, 199, map 200; 201–7
Variscan orogenic belt, northern section, nature of, 144–6
Variscan shearing, late, SW England, Germany, 143–4
Variscides, Ireland, structure of, around Gortnabinna, Munster Basin, 900–3
Variscan fault, Sticklepath–Lustleigh, Tertiary reactivation of, 447–52
Variscan structure of South West England [thematic set] and: Bristol–Mendip foreland thrust belt, 63–73

correlation, of Rhenohercynian Variscides, 141–7
deep seismic profiling, between England, France, Ireland, 45–52
mid-Devonian tectonics, sedimentation, Bristol Channel area, 107–15
model for tectonic evolution, south Cornwall, 125–34
modification of chevron folds, north Cornwall, Devon, 89–94
seismic refraction, of structural setting, Lizard, Start Complexes, 135–40
stratigraphy, structure, Devonian, east Cornwall, 95–105
structural evolution, Irish Variscides, 53–61
tectonics, Bude Formation, north Cornwall, 83–8
Upper Palaeozoic ophiolite generation, south Cornwall, 117–24
Upper Palaeozoic, successions and nappe structures, north Cornwall, 75–82
Variscan structure, South West England, introduction to, 41–3
Variscides, Irish, structural evolution of, 53, maps 54, 55, 56; 57–61
——, Rhenohercynian, correlation of, 141–7, maps 142, 144, 145
Vema Fracture Zone, 765–6
——, structure, seismotectonics of, 795–805
Vema transform, and ridge–transform intersection, deep-tow seismic profiles from, 807–17
VERHOEF, J. H. & DUIN, E. J. T., a 3-dimensional analysis of magnetic anomalies over fracture zones in the Cretaceous Magnetic Quiet Zone (Madeira Abyssal Plain), 823–32, figs
VIAENE, W., *see* LAMENS, J.
VISWANATHA, M. N., *see* CHADWICK, B.
VITA-FINZI, C., testing structural models [*abs*], 326

Wales, Mid, element mobility in acidic upland catchments, 635–48
——, N, Lower Rhyolitic Tuff Formation of, eruption and emplacement, 411, maps 412, 413; 414–23
——, prevailing stress field in, 332
——, seismicity and tectonics in, 327–34
WALLS, J., *see* NEAL, C.
Washington continental shelf, accumulation of river-derived sediment on, 945–56
weathering of minerals, catchment water hydrology and drainage water chemistry, uplands, England, Wales, 627–34
weathering processes, in podzolic soils on granites, implications for water acidification, 691–7
weathering rates, computer model for calculation of, 669
——, of gneiss, and cation depletion in soils under environmental acidification, 673–7
Wessex Basin, S England, extension tectonics in, 465, maps 466, 467; 468–88
——, geothermal resources of, 501–2
——, S England, poly-phase extension model for, 477–83
West Walton Beds, of E England Shelf, 389–91
Western Limassol Forest Complex, Cyprus, leaky transform fault of, 845–54
WESTRA, L., evolution of the early Proterozoic Svecofennides in southern Finland [*abs*], 966
WHALLEY, J. S. & LLOYD, G. E., tectonics of the Bude Formation, north Cornwall—the recognition of northerly directed décollement, 83–8, figs
WHALLEY, J. S., *see* LLOYD, G. E.
WHITE, R. S. & WILLIAMS, C. A., oceanic fracture zones [introduction to thematic set], 737–41, fig.
WHITE, R. S., *see* BOWEN, A. N.
WHITE, R. S., *see* DETRICK, R. S.
WHITE, R. S., *see* LOUDEN, K. E.
WHITE, R. S., *see* POTTS, C. G.
WHITMARSH, R. B., *see* CALVERT, A. J.
WILKINSON, P., MITCHELL, J. G., CATTERMOLE, P. J. & DOWNIE, C., volcanic chronology of the Meru–Kilimanjaro region, Northern Tanzania, 601–5, figs
WILLIAM SMITH MEDAL presented to P. G. FOOKES, 374–5
WILLIAMS, C. A., *see* POTTS, C. G.
WILLIAMS, C. A., *see* WHITE, R. S.
WILLIAMS, G. D., *see* HANCOCK, P. L.
WILLIAMS, G. D. & CHAPMAN, T. J., the Bristol–Mendip foreland thrust belt, 63–73, figs
WILSON, M. J., mineral weathering processes in podzolic soils on granitic materials and their implications for surface water acidification, 691–7, figs
WINDLEY, B. F. & SUGDEN, T., geotectonic framework of the early- to mid-Proterozoic Aravalli–Delhi orogenic belt, NW India, [*abs*], 968
WINDLEY, B. F., *see* TARNEY, J.
Wittering magnetozone, 732
WOLLASTON MEDAL presented to G. J. WASSERBURG, 370–1; W. FUND presented to J. A. D. DICKSON, 375
Worcester Basin, geothermal resources of, 502
WU RUITANG, *see* GUAN BAODE
WYATT, A. R., post-Triassic continental hypsometry and sea level, 907–10, figs

Yalu River, China, sediment discharge, 935–7
Yellow River (Huanghe), China, sediment discharge, 939–40
YING-WANG, MEI-E REN & DAKUEI ZHU, sediment supply to the continental shelf by the major rivers of China, 935–44, figs

Zambesi mobile belt, Zimbabwe, 964–5
Zermatt–Saas ophiolite zone, Switzerland, high-pressure metamorphism of, 607, maps, 608, 609; 610–8
Zimbabwe, evolution of Proterozoic Magondi and Zambesi mobile belts, 964–5
Zinc–lead mineralization, N Pakistan, 521–36
zircon, sphene, monazite, behaviour during partial melting, U-Pb study, 880–4